

## LIST OF PARTICIPANTS

**Abbasipour H.**

*Department of Plant Protection, College of Agricultural Sciences, Shahed University, Tehran, Iran, Abbasipour@Shahed.ac.ir*

**Abdalla M.M.**

*Southern Africa Agricultural Research Council, P.O.Box 77876 Morogoro, Tanzania, kilimo@live.com*

**Adler C.**

*Julius Kühn-Institut, Federal Research Centre for Cultivated Plants – Institute for Ecochemistry, Plant Analysis and Stored Product Protection, Königin-Luise-Str. 19, D-14195 Berlin, Germany, cornel.adler@jki.bund.de*

**Ahmadi, M.**

*Agricultural, Medical and Industrial Research School, Nuclear Science and Technology Research Institute, Karaj, Iran, mahmadi@nrcam.org*

*Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, Tehran, Iran*

**Akrami H.**

*Department of Entomology, Science and Research Branch, Islamic Azad University, Tehran, Iran*

**Albertazzi C.**

*Colkim srl, via Piemonte 50, Ozzano Emilia, Bologna, Italy*

**Andreadis S.S.**

*Aristotle University of Thessaloniki, Faculty of Agriculture, Laboratory of Applied Zoology and Parasitology, 54124 Thessaloniki, Greece*

**Andrić G.**

*Pesticide and Environment Research Institute, Banatska 31b, 11080 Belgrade, Serbia*

**Arthur F.H.**

*Stored Product Insects Research Unit, Grain Marketing and Production Research Center, USDA-ARS, Manhattan, KS 66502-2736, USA*

**Ashamo M. O.**

*Department of Biology, Federal University of Technology, P.M.B 704, Akure, Nigeria, oashamo@yahoo.com*

**Askarianzadeh A.**

*Plant Protection Department, College of Agricultural Sciences, Shahed University, Tehran, Iran, askarianzadeh@shahed.ac.ir*

**Athanassiou C.**

*Agricultural University of Athens, Department of Plant Science, Laboratory of Agricultural Zoology and Entomology, 75 Iera Odos, 11855 Athens, Greece*

**Atui M. B.**

*Instituto Adolfo Lutz - Av. Dr. Arnaldo, 355, São Paulo/SP Brazil, marcatui@ial.sp.gov.br*

**Aulicky R.**

*Crop Research Institute, Drnovská 507, 161 06 Prague 6, Czech Republic*

**Barros G.**

*IICT-Tropical Research Institute, TV. Condeda Ribeira, 9-2, PT 1300-142, Lisboa, Portugal, gracafragabarro@hotmail.com*

**Belda C.**

*IRTA-Institut de Recerca I tecnologia Agroalimentaries, Ctra. Cabrils Km 2, 08348 Cabrils, Barcelona, Spain*

**Bonjour E.L.**

*Dept. of Entomology and Plant Pathology, 127 Noble Research Center, Stillwater, Oklahoma 74078-3033, U.S.A.*

**Braghieri A.**

*GEA S.R.L., Via Fermi 10, Settimo Milanese 20019, Milano, Italy, abraghieri@geaitaly.com*

**Buchelos C.Th.**

*Agricultural University of Athens, 75 Iera Odos str., Athens, Attica, Greece, tc\_buchelos@hotmail.com*

**Buckley S.**

*Dow AgroSciences, 790 Au Dr Donav 06054 Mougins cedex, France, sbuckley@dow.com*

**Campbell J.F.**

*USDA ARS, Grain Marketing and Production Research Center, 1515 College Ave, Manhattan, KS 66502 USA*

**Carvalho M.O.**

*Tropical Research Institute, Unit of IPM on Stored Product (PIPA-IICT), Travessa Conde da Ribeira, 9, 1300-142 Lisbon, Portugal, motiliac@netcabo.pt*

**Ceruti F.C.**

*Department of Zoology, Universidade Federal do Paraná, Caixa Postal 19020, 81531-980 Curitiba, Paraná, Brazil. fabianeceruti@gmail.com*

**Chintzoglou G.**

*Laboratory of Agricultural Zoology and Entomology, Agricultural University of Athens, Athens, Greece*

**Colamartino F.**

*CDF, via Ressi 9, Milano, Italy*

**Çota E.**

*Faculty of Agriculture, Agricultural University of Tirana, Tirana, Albania*

**Cravedi P.**

*Università Cattolica del Sacro Cuore, Istituto di Entomologia e Patologia vegetale, Piacenza, Italy*

**Cuadrado Gargallo A.**

*SGS Belgium N.V., Keetberglaan 4, 9120 Melsele, Belgium, alberto.cuadrado@sgs.com*

**Dakik Z.**

*Pest control, Fumigation company, Vojcovo nabr. 38, 6000 Koper, Slovenia, zlatko.dakic@ddd-koper.sl*

**Dal Bello G.**

*Comisión de Investigaciones Científicas Provincia de Buenos Aires, CIDEFI, Facultad de Ciencias Agrarias y Forestales, UNLP, calle 60 y 119 La Plata, Argentina  
UNLP, calle 60 y 120 La Plata, Argentina*

**Draganova S.**

*Plant Protection Institute, Department "Biological and Integrated Pest Control", 35 Panajot Volov Str., 2230 Kostinbrod, Bulgaria, sdraganova19@gmail.com*

**Eliopoulos P. A.**

*Technological Educational Institute of Larissa, Department of Plant Production, 41 110 Larissa, Greece, eliopoulos@teilar.gr*

**Erler F.**

*Akdeniz University, Faculty of Agriculture, Department of Plant Protection, 07070 Antalya, Turkey, erler@akdeniz.edu.tr*

**Fathipour Y.**

*Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, P. O. Box 14115-336, Tehran, Iran, fathi@modares.ac.ir*

**Ferrari D.**

*Bayer CropScience S.r.l., Viale Certosa 130, Milano, Italy, danielle.ferrari@bayercropscience.com*

**Fields, P.G.**

*Cereal Research Centre, Agriculture & Agri-Food Canada, 195 Dafoe Road, Winnipeg, Manitoba, R3T 2M9, Canada, paul.fields@agr.gc.ca*

**Fleurat-Lessard F.**

*INRA, UR 1264 – Mycology and Food Safety (MycSA), INRA Bordeaux Research Centre, pôle Qualis, Villenave D'Ornon Cedex, France. francis.fleurat-lessard@bordeaux.inra.fr*

**Gentile P.**

*Department of Animal, Plant and Environmental Science, University of Molise, Via De Sanctis, 86100 Campobasso, Italy*

**Ghaharamanyan L.**

*National Ozone Unit, Ministry of Nature Protection of RA, 3 Government Bld., Republic Square, Yerevan, 0010, Armenia, liana.ghaharamanyan@undp.org*

**Grauwet T.**

*SGS Belgium N.V., Keetberglaan 4, 9120 Melsele, Belgium*

**Haji M.M.**

*Souther Africa Agricultural Research Council, P.O. Box 77876 Morogoro, Tanzania, kilimo@live.com*

**Hamel D.**

*Institute for Plant Protection in Agriculture and Forestry of Republic Croatia, Svetošimunska 25, 10040 Zagreb, Croatia*

**Ianiro R.**

*Department of Animal, Plant and Environmental Science, University of Molise, Via De Sanctis, I-86100 Campobasso, Italy*

**Işikber A. A.**

*Kahramanmaraş Sütçü İmam University, Agriculture Faculty, Plant Protection Department, 46060 Kahramanmaraş, Turkey, isikber@ksu.edu.tr*

**Jilesen C.**

*Plant Protection Service, PO Box 9102, 6700 HC Wageningen, The Netherlands*

**Jokić G.**

*Pesticide and Environment Research Institute, Banatska 31b, 11080 Belgrade, Serbia, jokicg@ptt.rs*

**Kalinovic I.**

*Faculty of Agriculture in Osijek, Trg Sv. Trojstva 3, 31 000 Osijek, Croatia*

**Kavallieratos N.**

*Laboratory of Agricultural Entomology, Department of Entomology and Agricultural Zoology, Benaki Phytopathological Institute, 8 Stefanou Delta str., 14561 Kifissia, Attica, Greece*

**Khanjani M.**

*Department of Plant Protection, Faculty of Agriculture, Bu-Ali Sina University, Iran*

**Klapal H.**

*Institute of Plant Health, Spargelfeldstrasse 191, A-1226 Vienna, helmut.klapal@ages.at*

**Kłyś M.**

*Pedagogical University of Cracow, Institute of Biology, Podbrzezie 3, 30-054 Krakow, Poland, klysgosia@poczta.onet.pl*

**Kozich I.**

*RUC “Institute of plant protection”, Mira Str., 2, p. Priluki, Minsk region, Minsk district, 223011, Belarus*

**Kraaz I.**

*Andermatt Biocontrol AG, Stahlermatten 6, CH-6146 Grossdietwil, Switzerland, kraaz@biocontrol.ch*

**Kučerová Z.**

*Crop Research Institute, Drnovská 507, 161 06 Prague 6, Czech Republic*

**Lazzari F.A.**

*Department of Zoology, Universidade Federal do Paraná, Caixa Postal 19020, 81531-980 Curitiba, Paraná, Brazil, flaviolazzari@gmail.com*

**Lazzari S.M.N.**

*Department of Zoology, Universidade Federal do Paraná, Caixa Postal 19020, 81531-980 Curitiba, Paraná, Brazil, lazzari@ufpr.br*

**Limonta L.**

*Dipartimento di Protezione dei Sistemi Agroalimentare e urbano e valorizzazione delle biodiversità - Università degli Studi di Milano – via Celoria 2, 20133 Milano, Italy*

**López Belechí, M.D.**

*Instituto Murciano de Investigación y Desarrollo Agrario y Alimentario (IMIDA), Estación Sericícola, c/Mayor s/n, 30150, La Alberca, Murcia, Spain, lolalopezbelchi@gmail.com*

**Magro A.**

*Instituto de Investigação Científica Tropical - IP. Trav. Conde da Ribeira, 9. 1300-142 Lisboa. Portugal, ana.magro@netcabo.pt*

**Maia A.**

*IICT-Tropical Research Institute, TV. Conde da Ribeira, 9-2, PT 1300-142, Lisboa, Portugal, antonio.maia@iict.pt*

**Massara P.**

*CEO of “Mouse & Co.”, Via Monte Rosa 7, I-22074 Lomazzo, Como, Italy*

**Matè D.**

*ICRCPAL - Via Milano, 76, 00187 – Roma., Italy*

**Mathie M.**

*ARVALIS – Institute du Végétal, Station Expérimentale 91 720 Boigneville, France,*

**Moharramipour S.**

*Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, PO Box 14115-336, Tehran, Iran*

**Montanari M.**

*Istituto Centrale per la Conservazione ed il Restauro del Patrimonio Archivistico e Librario, Ministero per i Beni e le Attività Culturali, Via Milano, 76, 00184 Rome, Italy*

**Nassor H.K.**

*Southern Africa Agricultural Research Council, P.O. Box 77876 Morogoro, Tanzania, kilimo@live.com*

**Navarro S.**

*Food Technology International Consultancy Ltd., P.O.Box 3300, Bet Yehoshua 40591, Israel, snavarro@ftic.info*

**Niedermayer S.**

*University of Hohenheim, Institute of Zoology/Animal Ecology 220, Garbenstr. 30, 70593 Stuttgart, Germany, steffini@uni-hohenheim.de*

**Nogueira M.D.**

*Instituto Adolfo Lutz - Av. Dr. Arnaldo, 355, São Paulo/SP Brazil, dimonog@ial.sp.gov.br*

**Novakova M.**

*Crop Research Institute, Drnovská 507, 161 06 Prague 6, Czech Republic, novakova@yurv.cz*

**Obretenchev D.**

*Plant Protection Institute, Department “Biological and Integrated Pest Control”, 35 Panajot Volov Str., 2230 Kostinbrod, Bulgaria*

**Opit G.P.**

*Dept. of Entomology and Plant Pathology, 127 Noble Research Center, Stillwater, Oklahoma 74078-3033, U.S.A.*

**Pagani M.**

*Università Cattolica del Sacro Cuore, Istituto di Entomologia e Patologia vegetale, Piacenza, Italy*

**Palyvos N. E.**

*Laboratory of Agricultural Zoology and Entomology, Agricultural University of Athens, Iera Odos 75, 11855, Athens, Greece*

**Phillips T.W.**

*Dept. of Entomology, 123 West Waters Hall, Manhattan, Kansas 55506-4004, U.S.A.*

**Plarre R.**

*Fed. Government, BAM, Unter den Eichen 87 12205 Berlin, Germany, ruediger.plarre@bam.de*

**Pons M.J.**

*IRTA, Ctra. de Cabrils Km 2, 08348 Cabrils (Barcelona), Spain, mariajose.pons@irta.es*

**Prozell S.**

*Biologische Beratung Ltd., Hosemannstr 8, 10409 Berlin, Germany, bip@biologische-beratung.de*

**Rashid F.A.**

*Southern Africa Agricultural Research Council, P.O. Box 77876 Morogoro, Tanzania, kilimo@live.com*

**Rastegar F.**

*Department of Plant Protection, College of Agricultural Sciences, Shahed University, Tehran, Iran, Rastegar-fa@yahoo.com*

**Riudavets J.**

*IRTA-Institut de Recerca I tecnologia Agroalimentaries, Ctra. Cabrils Km 2, 08348 Cabrils, Barcelona, Spain*

**Rojht H.**

*University of Ljubljana, Biotechnical Faculty, Dept. of Agronomy, Chair of Phytomedicine, Agricultural Engineering, Crop Production, Grassland and Pasture Management, Jamnikarjeva 101, SI-1111 Ljubljana, Slovenia*

**Rozman V.**

*Department for Plant Protection, University of Josip Juraj Strossmayer in Osijek, 3 Trg Sv. Trojstva, 31100 Osijek, Croatia*

**Ruschioni E.**

*ICRCPAL - Via Milano, 76, 00187 Roma, Italy*

**Russo A.**

*Università degli Studi di Catania, Facoltà di Agraria, Catania, Italy*

**Sağlam Ö.**

*Department of Plant Protection, Faculty of Agriculture, University of Namık Kemal, Tekirdağ 59030, Turkey*

**Schöller M.**

*Biologische Beratung Ltd., Hosemannstr 8, 10409 Berlin, Germany, bip@biologische-beratung.de*

**Sciarretta A.**

*Department of Animal, Plant and Environmental Science, University of Molise, Via De Sanctis, I-86100 Campobasso, Italy, sciarretta@unimol.it*

**Shojaaddini M.**

*Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, Tehran, Iran*

**Simoni S.**

*CRA-ABP Centro di ricerca per l'Agrobiologia e la Pedologia, Firenze, Italy*

**Spanoudis C.G.**

*Aristotle University of Thessaloniki, Faculty of Agriculture, Laboratory of Applied Zoology and Parasitology, 54124 Thessaloniki, Greece*

**Spina G.**

*Department of Animal, Plant and Environmental Science, University of Molise, Via De Sanctis, I-86100 Campobasso, Italy, giuseppe.spina@unimol.it*

**Stampini M.**

*Dipartimento di Protezione dei Sistemi Agroalimentare e urbano e valorizzazione delle biodiversità - Università degli Studi di Milano, via Celoria 2, 20133 Milano, Italy*

**Staneva E.**

*Plant Protection Institute, Department "Plant Quarantine", 35 Panajot Volov Str., 2230 Kostinbrod, Bulgaria, evdokiastaneva@abv.bg*

**Stejskal V.**

*Crop Research Institute, Drnovská 507, 161 06 Prague 6, Czech Republic*

**Subramanyam Bh.**

*Department of Grain Science and Industry, Kansas State University, Manhattan, KS 66506, USA*

**Stüss L.**

*Dipartimento di Protezione dei Sistemi agroalimentare e urbano e valorizzazione delle Biodiversità, Università degli Studi di Milano, via G. Celoria, 2 – 20133 Milano, Italy.*

**Sutherland J.**

*Agrisense, Treforest Industrial Estate, Pontypridd, CF37 5SU, UK, jamie.sutherland@agrisense.co.uk*

**Talebikahdouei A.A.**

*Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, P. O. Box 14115-336, Tehran, Iran*

**Taylor B.**

*CABI-EUK, Bakeham Lane, Egham, Surrey, TW20 9TY, UK*

**Timlick B.**

*Canadian Grain Commission 847-303 Main Street Winnipeg, Manitoba R3C 3G8, Canada, blane.timlick@grainscanada.gc.ca*

**Trdan S.**

*University of Ljubljana, Biotechnical Faculty, Department of Agronomy, 101 Jamnikarjeva, SI 1111, Slovenia*

**Trematerra P.**

*Department of Animal, Plant and Environmental Science, University of Molise, Via De Sanctis, I-86100 Campobasso, Italy, trema@unimol.it*

**Trepashko L.**

*RUC “Institute of plant protection”, Mira Str., 2, p. Priluki, Minsk region, Minsk district, 223011, Belarus*

**Tunaz H.**

*Department of Plant Protection, Faculty of Agriculture, Kahramanmaraş Sütçü İmam University, Kahramanmaraş, Turkey, htunaz@ksu.edu.tr*

**Tursun N.**

*Kahramanmaraş Sütçü İmam University, Agricultural Faculty, Plant Protection Div., Kahramanmaraş, Turkey, ntursun@ksu.edu.tr*

**Urizio A.**

*OMNIA Servizi Ambientali, Via Bourges, I-47100 Forlì, Italy*

**Urizio S.**

*Italian Pest Control Industry Association (A.N.I.D) and C.E.P.A. (Confederation of European Pest Control Associations )Executive Committee for the CN Project*

**Vayias B.**

*Agricultural University of Athens, Department of Plant Science, Laboratory of Agricultural Zoology and Entomology, 75 Iera Odos, 11855 Athens, Greece*

**Vroom N.**

*EcO2 B.V. James Wattstraat 6, 3281 NK Numansdorp, The Netherlands, nvroom@eco2.nl*

**Wakil W.**

*Department of Agri. Entomology, University of Agriculture, Faisalabad, Pakistan*

**Weintraub P.**

*Gilat Research Center, D.N. Negev, 85280 Israel, phyllisw@agri.gov.il*

**Zakladnoi G.**

*VNIIZ, All-Russian Scientific Research Institute for Grain, 11 Dmitrovskoe shosse, Moscow 127434, Russian Federation, vlaza@list.ru*